

# MATERIAL SAFETY DATA SHEET

**HANDY ART WASHABLE FLUOR PAINT**

TRAVEL NAME ON LABEL

ROCK PAINT DISTRIBUTING CORP.

MANUFACTURER

MSDS NUMBER

365 SUNNYSIDE DR. P.O. BOX 482

ADDRESS

CAS NUMBER

MILTON, WI 53563

JANUARY 2009

DATE PREPARED

(608)868-6873 (920) 563-8545

PHONE NUMBER(FOR INFORMATION)

PREPARED BY

| <b>SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION</b>   |   |          |           | OTHER LIMITS |
|--|---|----------|-----------|--------------|
| COMPONENTS: CHEMICAL NAME & COMMON NAMES   | % | OSHA PEL | ACGIH TLV | RECOMMENDED  |
| WATER  |   |          |           |              |
| PIGMENT: ASSORTED NON-TOXIC COLORS   |   |          |           |              |
| KAOLIN CLAY  |   |          |           |              |
| GUMS and/or CELLULOSIC   |   |          |           |              |
| CALCIUM CARBONATE  |   |          |           |              |
| MODIFIED STARCH  |   |          |           |              |
|  |   |          |           |              |
|  |   |          |           |              |
|  |   |          |           |              |
|  |   |          |           |              |
| AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS INSTITUTE (ACMI) INC. THIS PAINT HAS BEEN CERTIFIED NON-TOXIC. |   |          |           |              |

| <b>SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS</b>  |  |
|---|--|
| BOILING POINT - <b>ABOUT 212</b>                      | SPECIFIC GRAVITY (H2O=1) - <b>ABOUT 9LBS PER GAL</b> |
| VAPOR PRESSURE (mm Hg & TEMPERATURE) - <b>17mm Hg</b> | MELTING POINT - <b>N/A</b>                           |
| VAPOR DENSITY (AIR=1) - <b>NOT AVAILABLE</b>          | EVAPORATION RATE (WATER=1) - <b>SLOWER</b>           |
| SOLUBILITY IN WATER - <b>DILUTABLE</b>                | WATER REACTIVE - <b>N/A</b>                          |
| APPEARANCE & ODOR -                                   |  |

| <b>SECTION 3 - FIRE AND EXPLOSION HAZARD DATA</b>                           |   |  |                |
|---|---|--|----------------|
| FLASH POINT & METHOD USED<br><b>N/A</b>                                     | AUTO IGNITION TEMPERATURE<br><b>N/A</b> | FLAMMABILITY LIMITS IN AIR % BY VOLUME<br><b>N/A</b> |                |
| EXTINGUISHER MEDIA<br><b>FOAM - DRY CHEMICAL - CO2 - WATER SPRAY OR FOG</b> |   | LEL<br><b></b>                                       | UEL<br><b></b> |
| SPECIAL FIRE FIGHTING PROCEDURES<br><b>N/A</b>                              |   |  |                |
| UNUSUAL FIRE AND EXPLOSION HAZARDS<br><b>N/A</b>                            |   |  |                |

|  |  |             |
|--|--|-------------|
| <b>SECTION 4 - REACTIVITY HAZARD DATA</b>  |  | WASH FL - 2 |
| STABILITY<br><input checked="" type="checkbox"/> STABLE<br><br><input type="checkbox"/> UNSTABLE   | CONDITIONS TO AVOID<br><br><p style="text-align: center;">NONE KNOWN</p> |             |
| INCOMPATIBILITY (MATERIALS TO AVOID) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS.                             |  |             |
| HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER. |  |             |
| HAZARDOUS POLYMERIZATION<br><input type="checkbox"/> MAY OCCUR<br><br><input checked="" type="checkbox"/> WILL NOT OCCUR                             | CONDITIONS TO AVOID  |             |

|  |  |  |  |
|--|--|--|--|
| <b>SECTION 5 - HEALTH HAZARD DATA</b>  |  |  |  |
| PRIMARY ROUTES OF ENTRY<br><input type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION<br><br><input type="checkbox"/> SKIN ABSORTION <input checked="" type="checkbox"/> NOT HAZARDOUS |  | CARCINOGEN LISTED IN<br><input type="checkbox"/> NTP <input type="checkbox"/> OSHA<br><br><input type="checkbox"/> IARC MONOGRAPH <input checked="" type="checkbox"/> NOT LISTED |  |
| HEALTH HAZARDS   | ACUTE<br>CHRONIC   |  |  |
| SIGNS AND SYMPTOMS   |  |  |  |
| MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE  |  |  |  |
| <b>EMERGENY FIRST AID PROCEDURES -</b>   |  |  |  |
| <b>SEEK MEDICAL ASSISTANCE FOR FURHTER TREATMENT, OBSERVATION AND SUPPORT IS NECESSARY.</b>  |  |  |  |
| EYE CONTACT -  | DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM. |  |  |
| SKIN CONTACT -   | PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED REMOVE AND WASH CLOTHING BEFORE REUSE.         |  |  |
| INHALATION -   | N/A  |  |  |
| INGESTION -  | IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.   |  |  |

|  |                 |   |           |
|--|-----------------|---|-----------|
| <b>SECTION 6 - CONTROL AND PROTECTIVE MEASURES</b> |                 |   |           |
| RESPIRATORY PROTECTION (SPECIFY TYPE) -            |                 |   |           |
| PROTECTIVE GLOVES -<br>RUBBER GLOVES RECOMMENDED   |                 | EYE PROTECTION -<br>CHEMICAL GOGGLES WITH EYE GUARD |           |
| VENTILATION TO BE USED -                           | LOCAL EXHAUSE - | MECHANICAL (GENERAL) -                              | SPECIAL - |
| OTHER (SPECIFY) -                                  |                 |   |           |
| OTHER PROTECTIVE CLOTHING AND EQUIPMENT -          |                 | N/A   |           |
| HYGIENIC WORK PRACTICES -                          |                 |   |           |

|   |  |  |  |
|---|--|--|--|
| <b>SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES</b>  |  |  |  |
| STEPS TO BE TAKEN IS MATERIAL IS SPILLED OR RELEASED -<br>ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS. |  |  |  |
| WASTE DISPOSAL METHODS -<br>DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.  |  |  |  |
| PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE<br>SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE.<br>KEEP FROM FREEZING AND FROM EXCESSIVE HEAT.   |  |  |  |
| OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS -<br>N/A   |  |  |  |

HIMS RATING    HEALTH \_\_\_\_    FLAMMABILITY \_\_\_\_    REACTIVITY \_\_\_\_    PERSONAL PROTECTION \_\_\_\_